APPENDIXAppendix Table 1. Sample averages for outcome measures by Indigenous status


| Population average for outcome measures | Aboriginal and | Non-Indigenous | |
|--|----------------|----------------|--|
| | Torres Strait | Australians | |
| _ | Islander | | |
| Proportion to see GP in past 12/12 (%) | 84.00 | 84.95 | |
| Average Number of GP visits past 12/12 (visits) | 6.67 | 4.82 | |
| Proportion to see Specialist past 12/12 (%) | 27.59 | 30.41 | |
| Proportion with Day Hospital admission past 12/12 (%) | 12.17 | 12.78 | |
| Mean Number of day hospital admissions past 12/12 (visits) | 0.66 | 0.22 | |
| Proportion with overnight admission past 12/12 (%) | 16.70 | 12.87 | |
| Mean number of overnight admissions | 0.28 | 0.19 | |
| Mean number of nights in Hospital (visits) | 0.95 | 0.92 | |
| Proportion with Polypharmacy (%) | 11.65 | 8.92 | |
| Mean number of prescription medications (meds) | 1.47 | 1.37 | |
| Proportion unemployed, looking for work (%) | 16.65 | 4.44 | |
| Proportion working reduced Hours (%) | 38.18 | 30.84 | |
| Mean Sick leave Days past 12/12 (days) | 1.56 | 1.99 | |
| Mean Unpaid leave days past 12/12 (days) | 1.16 | 1.72 | |
| Proportion with difficulty at work due to health or disability | 20.79 | 8.27 | |
| (%) | | | |
| Mean SF6D Score (0-1 decimal) | 0.707 | 0.751 | |
| Proportion with Health Status as Fair or Poor (%) | 29.09 | 18.41 | |
| Proportion on Disability Support Pension (%) | 11.18 | 3.89 | |
| Proportion with Self-Reported Disability (%) | 41.65 | 29.80 | |
| Proportion with High Psychological Distress Risk (%) | 32.27 | 18.41 | |

Note: authors estimates; sample averages and proportions were calculated using weights

Appendix Table 2. Statistical Analysis

| Outcome Type | Outcome | Statistical Method | | |
|--------------------|-------------------------------|-----------------------------------|--|--|
| Health | SF6D Score | Multivariable Linear Regression | | |
| | Psychological Distress Risk | Multivariable Logistic Regression | | |
| | Disability Support Pension | | | |
| | Health Status | | | |
| | Disability | | | |
| Health Service Use | Any GP appointment | Multivariable Logistic Regression | | |
| | Any Hospital Admission | | | |
| | Any Day Hospital Admission | | | |
| | Any Specialist Appointment | | | |
| | Polypharmacy (>5 regular | | | |
| | medications) | | | |
| | Number of GP appointments | Multivariable Negative Binomial | | |
| | Number of regular medications | Regression | | |
| | Number of Hospital admissions | | | |
| Work Productivity | Employment Status | Multivariable Logistic Regression | | |
| | Full or Part Time Hours | | | |
| | Number of sick Days | Multivariable Negative Binomial | | |
| | Number of unpaid leave Days | Regression | | |

Appendix Figure 1. Flow Chart




Appendix Table 3. Sample Characteristics, Indigenous status

| | Aboriginal and Torres Strait | Non-Indigenous |
|--|------------------------------|----------------------|
| | Islander n (%) | Australians n (%) |
| Overall | 509 (100) | 16240 (100) |
| Multimorbidity | | |
| Zero NCDs | 235 (45.24) | 8348 (53.17) |
| Single NCD | 154 (30.57) | 4398 (26.12) |
| 2 NCDs | 60 (10.65) | 2039 (11.75) |
| 3 NCDs | 35 (8.44) | 881 (5.32) |
| 4 NCDs | 25 (5.1) | 574 (3.64) |
| Multimorbid (No/Yes) | | |
| Not Multimorbid | 389 (75.81) | 12476 (79.30) |
| Multimorbid | 120 (24.19) | 3494 (20.70) |
| Gender | | |
| Male | 229 (45.12) | 7651 (48.87) |
| Female | 280 (54.88) | 8589 (51.13) |
| Age | | |
| 18-29 | 230 (39.31) | 3630 (21.55) |
| 30-39 | 93 (19.33) | 2841 (17.94) |
| 40-49 | 78 (16.34) | 2628 (17.75) |
| 50-59 | 63 (14.21) | 2690 (16.30) |
| 60-69 | 29 (5.77) | 2229 (13.52) |
| 70+ | 16 (5.04) | 2222 (12.94) |
| Marital status | | |
| Married/De Facto | 265 (43.92) | 10761 (62.98) |
| Single/Never Married or De Facto | 188 (42.63) | 3217 (23.75) |
| Former Married/De Facto | 56 (13.45) | 2262 (13.26) |
| Education Level | | |
| <year 12="" schooling<="" td=""><td>198 (35.95)</td><td>3642 (21.25)</td></year> | 198 (35.95) | 3642 (21.25) |
| Year 12/Certificate/Diploma | 265 (54.59) | 8060 (49.37) |
| Bachelors or Higher | 46 (9.46) | 4538 (29.38) |
| Employment Status | | |
| Employed Full Time | 153 (28.63) | 7173 (44.83) |
| Employed Part Time | 80 (17.69) | 3318 (19.99) |
| Not employed | 73 (9.3) | 530 (3.20) |
| Not in workforce | 201 (44.38) | 5193 (32.17) |
| Annual income | | |
| 1st quantile (lowest) | 173 (24.45) | 4016 (20.20) |
| 2nd quantile | 161 (30.02) | 4026 (24.03) |
| 3rd quantile | 115 (26.33) | 4071 (25.86) |
| 4th quantile (highest) | 60 (19.21) | 4127 (29.92) |
| Region | | |
| Urban | 226 (49.08) | 10815 (72.88) |
| Regional | 271 (49.31) | 5190 (25.98) |
| Remote | 12 (1.61) | 235 (1.14) |
| State | | |
| New South Wales | 136 (29.50) | 4739 (32.25) |
| Victoria | 70 (13.75) | 4181 (26.44) |
| Queensland | 170 (33.23) | 3413 (19.41) |
| South Australia | 46 (6.91) | 1486 (7.17) |
| Western Australia | 28 (7.13) | 1451 (10.31) |
| Tasmania | 45 (7.06) | 503 (2.04) |
| Northern Territory | 5 (1.3) | 122 (0.71) |
| Australian Capital Territory | 9 (1.12) | 345 (1.67) |
| Country of birth | | * * |
| Australia | 509 (100) | 12645 (68.92) |
| Other | 0 (0) | 3595 (31.08) |
| Private health | • • | * / |
| No | 423 (78.36) | 7672 (46.54) |
| Yes | 86 (21.64) | 8568 (53.46) |


Note: authors estimates; proportions were calculated using weights

Appendix Figure 2. Prevalence of multimorbidity by type and Indigenous status



 ${\it Note}$: authors estimates; proportions were calculated using weights

Appendix Figure 3. Common combinations of NCDs by indigenous status



Note: authors estimates; proportions were calculated using weights

Appendix Table 4. Health service use and multimorbidity

| | Pooled sample | | | Non-Indigenous | | Aboriginal and Torres Strait Islander | |
|------------------------------------|---------------|---|------------------|----------------|---------------|--|--------------|
| | OR (95%CI) | | Interaction term | OR (95%CI) | | OR (95%CI) | |
| Any GP visit | 2.70*** | (2.50, 2.92) | 0.92 | 2.70*** | (2.50, 2.93) | 3.34*** | (2.15, 5.17) |
| Any specialist appointment | 1.62*** | (1.48, 1.77) | 0.85** | 1.62*** | (1.48, 1.77) | 1.64*** | (1.32, 2.04) |
| Any day hospital admit | 1.28*** | (1.22, 1.35) | 0.92 | 1.28*** | (1.22, 1.35) | 1.32 | (0.93, 1.88) |
| Any overnight hospital admit | 1.52*** | (1.46, 1.58) | 0.97 | 1.52*** | (1.46, 1.58) | 1.65** | (1.17, 2.32) |
| Polypharmacy | 2.86*** | (2.75, 2.97) | 1.21 | 2.87*** | (2.76, 2.99) | 3.81*** | (2.50, 5.80) |
| | Coef. | pef. (95%CI) Interaction term Coef. (95%CI) | | (95%CI) | Coef. (95%CI) | | |
| Number of GP visit | 0.37*** | (0.30, 0.44) | -0.06 | 0.37*** | (0.30, 0.44) | 0.39** | (0.13, 0.64) |
| Number of day hospital admit | 0.37*** | (0.21, 0.53) | 0.69 | 0.37*** | (0.23, 0.52) | 0.37** | (0.09, 0.66) |
| Number of overnight hospital admit | 0.40*** | (0.38, 0.43) | -0.02 | 0.40*** | (0.37, 0.43) | 0.49*** | (0.31, 0.67) |
| Number of nights inpatient | 0.52*** | (0.43, 0.61) | -0.31*** | 0.52*** | (0.43, 0.60) | 0.64*** | (0.41, 0.86) |
| Number of prescription medication | 0.55*** | (0.45, 0.65) | 0.01 | 0.55*** | (0.45, 0.65) | 0.55** | (0.13, 0.96) |

authors estimates; ORs and Coefficients were calculated using weights Interaction of number of multimorbidity and Indigenous status

Appendix Table 5. Productivity loss and multimorbidity

| | Pooled sample | | | Non-Indigenous | | Aboriginal and Torres Strait Islander | |
|----------------------------|---------------|--------------|---------------------|----------------|--------------|---|---------------|
| | OR | (95%CI) | Interaction term | OR (95%CI) | | OR (95%CI) | |
| Labour force participation | 0.61*** | (0.58, 0.65) | 1.08 | 0.61*** | (0.58, 0.65) | 0.67 | (0.44, 1.01) |
| Reduced work hours | 1.08 | (0.95, 1.23) | 0.96 | 1.08 | (0.95, 1.23) | 1.15 | (0.65, 2.01) |
| | Coef. (95%CI) | | Interaction term | Coef. (95%CI) | | Coef. (95%CI) | |
| Number of sick leave | 0.25*** | (0.19, 0.31) | -0.12 | 0.25*** | (0.19, 0.31) | 0.21 | (-0.14, 0.55) |
| Number of unpaid leave | 0.10*** | (0.06, 0.15) | 0.19 | 0.10*** | (0.06, 0.14) | 0.80** | (0.08, 1.53) |

Note: *** p<0.01, ** p<0.05 OR = Odds Ratio, Coef. = Coefficient

authors estimates; ORs and Coefficients were calculated using weights

Appendix Table 6. Multimorbidity and health, disability, wellbeing

| | Pooled sample | | | Non-I | ndigenous | Aboriginal and Torres Strait Islander | | |
|-----------------------------|---------------|----------------|---------------------|---------------|----------------|--|---------------|--|
| | OR (95%CI) | | Interaction term | OR (95%CI) | | OR (95%CI) | | |
| Self-recorded health | 2.06*** | (1.99, 2.12) | 1.03 | 2.06*** | (1.99, 2.12) | 2.36** | (1.35, 4.13) | |
| Disability support pension | 1.39*** | (1.31, 1.48) | 0.92 | 1.40*** | (1.30, 1.51) | 1.60 | (0.66, 3.86) | |
| Health problem/disabilities | 2.61*** | (2.31, 2.95) | 1.16 | 2.61*** | (2.31, 2.95) | 4.13** | (1.76, 9.70) | |
| Raised psychological risk | 1.79*** | (1.50, 2.14) | 0.92 | 1.80*** | (1.49, 2.16) | 1.77** | (1.18, 2.68) | |
| | Coef | (95%CI) | Interaction term | Coef. (95%CI) | | Coef. (95%CI) | | |
| Sf6D score | -0.04*** | (-0.05, -0.04) | 0.01 | -0.04*** | (-0.05, -0.04) | -0.04*** | (-0.06, -0.02 | |

Note: *** p<0.01, ** p<0.05 OR = Odds Ratio, Coef. = Coefficient

authors estimates; ORs and Coefficients were calculated using weights